

MATH 3341 — Spring 2021

Lab 05: Formatting Output and L^AT_EX

If you haven't downloaded and unzipped `Math.3341.zip`. Download and unzip it under H: (H Drive if you are working on the Remote Lab). Change the current working directory by typing `cd H:\Math.3341\Math.3341.Lab.05` in the Command Window, and type `edit lab_05_script` in the Command Window to edit `lab_05_script.m`.

1 FORMATTING NUMERICAL VALUES

- (a) Define a variable `x`, of which the value is e^π .
- (b) Define a cell array `formatOptions`, of which the entries are listed as follows:
 - (1) `rat`
 - (2) `longeng`
 - (3) `longg`
 - (4) `longe`
 - (5) `long`
 - (6) `shorteng`
 - (7) `shortg`
 - (8) `shorte`
 - (9) `short`
- (c) Use a for-loop to output `x` in the above formats (do NOT change the order).

2 FORMATTING DATA USING `fprintf`

- (a) Define `x` to be column vector ranging from 0 to 2π with 25 entries, and define `y1`, `y2`, `y3` as follows
$$y_1 = \sin(x/2), \quad y_2 = \sin(x), \quad y_3 = \sin(2x).$$
- (b) Concatenate column vectors `x`, `y1`, `y2`, `y3`, and store the new 2-D array to `data`.
- (c) Print out the heading in the Command Window using `fprintf`, where the heading of the output is `x`, `sin(x/2)`, `sin(x)`, `sin(2x)`, whose widths are 9. The heading should be left-justified.
- (d) Then use a for-loop to loop over each row of `data`: use `fprintf` to print out the numerical values, which have width 9 with 6 decimal places, in the Command Window. All numerical values should be left-justified.

3 FORMATTING DATA FOR L^AT_EX

This part we will format `data` (defined above) for L^AT_EX.

- (a) Set the output filename to `sin.tex`, and the permission to `w` (write mode) in `fopen` and store the file handle to the variable `fileHandle`.
- (b) Use `fprintf` to print out the setup for `table` and `tabular` environments. The output should be as follows

```

1 \begin{table}[!hbtpr]
2 \centering
3 \caption{Sine functions}
4 \label{tab:sin}
5 \begin{tabular}{lcr}
6 \toprule
7 \midrule
8 \bottomrule
9 \end{tabular}
10 \end{table}
```

- (c) Print out the heading of the data, whose column width is 11 between `\toprule` and `\midrule`. The expected output is as follows:

```

1      $$$ & $\sin(x/2)$ & $\sin(x)$ & $\sin(2x)$ \\\
```

- (d) Print out the numerical values of each row in `data` between `\midrule` and `\bottomrule` using a for-loop. Each number has width 9 and 6 decimal places. Also each number should be enclosed by a pair of `$` and separated by `&`. The expected output for one of the rows should be as follows

```

1 $ 0.000000$ & $ 0.000000$ & $ 0.000000$ & $ 0.000000$ \\\
```

- (e) Print the content of `sin.tex` by calling `type('sin.tex')`.

4 PLOTTING MULTIPLE FUNCTIONS USING FOR-LOOP

- (a) Define a cell array `styles`. The elements are plotting styles, i.e.,
 - (1) solid line with circle as the marker;
 - (2) dashdot line with diamond as the marker;
 - (3) dashed line with triangle (up) as the marker.
- (b) Define another cell array `y`, of which the entries are `y1`, `y2`, and `y3`.
- (c) Then use a for-loop to plot each entries of `y` versus `x` with in the same figure window the above styles (in the same order).
- (d) Set legend, labels, grid, and title. Change the range of `x`-axis to $[0, 2\pi]$, and that of `y`-axis to $[-1, 1]$. Set the following properties as you did in last lab. The expected result is shown in Figure 1.

- `XTick` to $[0, \pi / 2, \pi, 3 * \pi / 2, 2 * \pi]$;

- XTickLabel to {'0', '\$\pi/2\$', '\$\pi\$', '\$3 \pi/2\$', '\$2\pi\$'};
- GridLineStyle to '--';
- Box to 'on';
- BoxStyle to 'full'.

(e) Then save the plot using the following lines of commands:

```
1 name = 'lab_05_plot';
2 fig = figure(1);           % Set figure i as current figure window
3 set(fig, 'PaperPositionMode', 'auto'); % Set paper position mode to 'auto'
4 pos = get(fig, 'PaperPosition'); % Get figure window paper position
5 set(fig, 'PaperSize', [pos(3) pos(4)]); % Set figure paper size
6 print(fig, '-dpdf', name); % Save figure
```

Type `diary('lab_05_output.txt')` in the Command Window, run the script file `lab_05_script.m`, and type `diary off` in the Command Window. Upload `lab_05_output.txt`, `sin.tex`, and `lab_05_script.m` to the folder `src` on Overleaf.

On Overleaf, open `body.tex` under the folder `LaTeX`. In the last section of the report, you will reproduce Section 5 using L^AT_EX. You may find the following helpful:

- You may use environments such as `align`, `figure`, and `table`.
- You may use `\includegraphics[width=amount unit]{/path/to/figure.pdf}` to specify the width of a figure. In our case, the width of the figure is `0.75\textwidth`.
- For special characters, you may look them up in [L^AT_EX.Mathematics.Symbols.pdf](#).
- You may use `\input{/path/to/sin.tex}` to include the table you got from MATLAB.

Recompile and submit the PDF file generated by Overleaf to WyoCourses.

5 BASICS OF L^AT_EX

5.1 SINE FUNCTIONS

For given $x \in [0, 2\pi]$ with step size $\pi/12$, we can obtain the evaluations of (5.1), (5.2), (5.3) at x (see Table ??), and the corresponding plot (see Figure 1).

$$y_1 = \sin(x/2) \tag{5.1}$$

$$y_2 = \sin(x) \tag{5.2}$$

$$y_3 = \sin(2x) \tag{5.3}$$

Table 1: Sine functions

| x | $\sin(x/2)$ | $\sin(x)$ | $\sin(2x)$ |
|----------|-------------|-----------|------------|
| 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| 0.261799 | 0.130526 | 0.258819 | 0.500000 |
| 0.523599 | 0.258819 | 0.500000 | 0.866025 |
| 0.785398 | 0.382683 | 0.707107 | 1.000000 |
| 1.047198 | 0.500000 | 0.866025 | 0.866025 |
| 1.308997 | 0.608761 | 0.965926 | 0.500000 |
| 1.570796 | 0.707107 | 1.000000 | 0.000000 |
| 1.832596 | 0.793353 | 0.965926 | -0.500000 |
| 2.094395 | 0.866025 | 0.866025 | -0.866025 |
| 2.356194 | 0.923880 | 0.707107 | -1.000000 |
| 2.617994 | 0.965926 | 0.500000 | -0.866025 |
| 2.879793 | 0.991445 | 0.258819 | -0.500000 |
| 3.141593 | 1.000000 | 0.000000 | -0.000000 |
| 3.403392 | 0.991445 | -0.258819 | 0.500000 |
| 3.665191 | 0.965926 | -0.500000 | 0.866025 |
| 3.926991 | 0.923880 | -0.707107 | 1.000000 |
| 4.188790 | 0.866025 | -0.866025 | 0.866025 |
| 4.450590 | 0.793353 | -0.965926 | 0.500000 |
| 4.712389 | 0.707107 | -1.000000 | 0.000000 |
| 4.974188 | 0.608761 | -0.965926 | -0.500000 |
| 5.235988 | 0.500000 | -0.866025 | -0.866025 |
| 5.497787 | 0.382683 | -0.707107 | -1.000000 |
| 5.759587 | 0.258819 | -0.500000 | -0.866025 |
| 6.021386 | 0.130526 | -0.258819 | -0.500000 |
| 6.283185 | 0.000000 | -0.000000 | -0.000000 |




Figure 1: Sine functions